

Appl. No. 09/930,536
Amdt. dated September 15, 2003
Amendment under 37 CFR 1.116 Expedited Procedure
Examining Group

PATENT

Amendments to the Specification:

Please make the following amendments. These amendments assume prior entry of the amendments made in the amendment filed September 13, 2002, but not the amendment filed on June 25, 2003, as this Amendment was not entered (see Advisory Action mailed July 16, 2003).

Please replace the paragraph beginning on page 9, line 7 with the following rewritten paragraph:

--Fig. 4A. Fluorescence images of cooperative vs. non-cooperative hybridization to paired probe arrays. The design of the array is shown in Fig. 3. Unambiguous hybridization to the double perfect match probe pair is shown for four different linked sequence pairs (10g-27c, 10c-27t, 10c-27g, and 10g-27t from top of left hand column) (SEQ ID NO:1). Hybridization images of the corresponding unlinked targets are shown in the adjacent right hand column.--

Please replace the paragraph beginning on page 9, line 16 with the following rewritten paragraph:

--Fig. 4B 50:50 mixtures of (10c-27t and 10g-27c) (SEQ ID NO:1) and (10g-27t and 10c-27c) (SEQ ID NO:1) are shown in the two panels of the left hand column. Although the two experiments have targets that are identical in sequence composition, the pairing is different. This is clearly detected in the experiment, which allows the pairings (linkages) to be determined in each case. The bottom panel in the right hand column shows a hybridization image of (10c, 10g, 27c, and 27t). The sequence composition is identical to the two lower panels of the left hand column. However, in this case the individual targets are unlinked, and hence no cooperative effect is observed.--

The paragraph beginning at page 30, line 33 has been amended as follows:

--Labeled DNA Targets. DNA oligonucleotides bearing a 5' terminal fluorescein label were synthesized on solid supports using standard phosphoramidite chemistry. Oligonucleotides 10c-27c, 10g-27t, 10c-27t, and 10g-27c are based on the sequence 5'-Fcc act

Appl. No. 09/930,536

Amdt. dated September 15, 2003

Amendment under 37 CFR 1.116 Expedited Procedure
Examining GroupPATENT

cac gNg agc tct cca tgc att Ngg tat ttt cgt ctg gga ggt atg cac gcg ata gca, (SEQ ID NO:1), where F denotes fluorescein. The letter N indicates positions 10 and 27. The base at these positions is indicated in the name of each oligonucleotide. Likewise, oligonucleotides 10c and 10g are based on the sequence 5'Fct cac gNg agc tct c, (SEQ ID NO:2), and 27c and 27t are based on 5'F tgc att Ngg tat ttt (SEQ ID NO:3). The 10c, 10g, 27c, and 27t sequences were derived from the position 10 and 27 double variants listed above. In addition to the oligonucleotide targets, human mitochondrial DNAs of 160 bases and 2.5 kb were prepared using single-stranded asymmetric PCR. These DNAs were amplified from samples previously sequenced on an ABI 373A DNA Sequencer. Labeling was by incorporation of biotin-16-dUTP during PCR. Two 2.5 kb amplicons were prepared, differing at three positions. Amplicon 1 had the sequence 93c-1438c-2131a. Amplicon 2 had the sequence 93t-1438t-2131g.--

Please replace the paragraph beginning at page 31, line 24 with the following rewritten paragraph:

--A 4 x 4 array was synthesized, in which each 400 μ m x 400 μ m site contained a mixture of two different 9-mer probe sequences, Probe 1 (3'-gtgcN1ctcg-5')(SEQ ID NO:4) and Probe 2 (3'-gtaaN2ccat-5')(SEQ ID NO:5). To demonstrate that any cooperative effect was sequence-specific, we designed the array to include four variants of each of the probes, in which the central base of Probe 1 and Probe 2 was substituted with A, C, G, or T. The resulting array contained 16 sites. Each site contains a different combination of N1 and N2 for the two probes. In this way all sixteen mixtures of Probe 1-N1 and Probe 2-N2 were synthesized (Fig. 3).--